



## Machinery List

May 2021

Price on Application

Ref	Make	Model	Year	Imp (m)	Description
<b>Package Lot</b>					
1978 Komori 425 BP Sprint 4 col press, Max sheet size 64 x 48 cm 1965 Heidelberg KORD 62 max sheet size 46 x 62 cm Heidelberg T platen, ink wash up tray (red ball) with letterpress numbering boxes Perfecta 92 cm Guillotine equipped with Microcut programming system. John Perfecta electric (back up) manual guillotine Heat shrinkwrapper Standalone wire book stitcher (side + saddle stitch) Stirling bench top paper drill with added round cornering tools Bench top document punch binder/closer Crown fork hoist, walk behind electric rechargeable model.					
<b>1 Colour Offset Press</b>					
1-170	RYOBI 520 X + NP		1996		Standard dampening, quick action plate clamps, NP unit, plate punch.
<b>2 Colour Offset Press</b>					
2-182	HEIDELBERG GTOZ-52 + NP		1993	74	Bareback dampening, Quick action plate clamps, Running register, Push button control stork at delivery, Weko powder spray unit, Numbering + perforating, Plate punch.
2-178	HEIDELBERG GTOZ-52 + NP		1998	25	Control stork at delivery, Heidelberg DDS dampening, Quick action plate clamps, Running register, Numbering perforating, Recent New rollers on press and numbering unit.
<b>4 Colour Offset Press</b>					
4-143	SAKURAI OLIVER OL466SIP		2002		Four Colour A2, Size 660 x 480mm: Max sheet size: 660 x 470 mm - Min Sheet size 297 x 200 mm. Stock thickness: 0.04 ~ 0.4 mm. Supplied in one piece with: Off Press colour control console, Suction Stream Feeder, Vacuum feed board, Semi Auto Plate Loading with plate cylinder cocking via console,(no plate bending required, plates can be reused) Alcohol Dampening + Baldwin Cooling & Recirculation, Auto Ink Roller Wash, Auto convertible perfecting via colour console for 2/2 or 4/0, Powder Spray Unit, Low Pile Delivery.
<b>4 - 6 Colour Offset Press</b>					
6-119	KOMORI LITHRONE L 526		1991	132	Maybeg stream feeder, Sheet weights 0.6 paper ~ 0.8 mm card board, PQC colour control console with plate cocking, Komorimatic dampening, Baldwin cooling + recirculation, control, Standard manual plate loading, IR dryer, Weko powder spray, Baldwin sheet decurler, Chromed Plate + Impression cylinders, Solid transfer cylinders, IR dryer, Plate punch, Weko spray unit, Operators manuals.
6-117	KOMORI LITHRONE L 628		1997	186	Maybeg stream feeder, Press will run up to 0.8 mm cardboard, PQC colour control console, Plate cocking, Komorimatic dampening, Baldwin cooling + recirculation, SAPC, Auto ink roller wash, Auto blanket wash, AMR, Ink roller temperature control, Grafix powder spray, Sheet decurler, Chromed Plate + Impression cylinders, Solid transfer cylinders, Manuals, Plate punch and Main air compressor not included.
<b>Letterpress / Diecutting &amp; Creasing - Foiling</b>					
L-187	HORIZON RD-4055 ROTARY DIE CUTTING SYSTEM		2018		Designed to meet the growing demand for short run die-cut product - able to die-cut, crease, perforate, slit, hole punch and round corner in one process for digital and offset printed sheets. Max. 400 x 550 mm - Min. 200 x 275 mm. Material thickness: 127.9 to 400 gsm.

Ref	Make	Model	Year	Imp (m)	Description
L-186	HORIZON VP53 AUTO SHEET PERFORATOR		2018		Unique designed perforation unit that can be easily set up and allows multiple perforations at the same time. Perforated sheets are flipped over and delivered into a descending stacker. Pre perf before printing or perforate on numbered sheets with no added sheet handling.
L-182	HEIDELBERG GT PLATEN 13" X 18"		1972		Die cutting, Creasing, Embossing, Includes inking rollers.
L-176	HEIDELBERG GT PLATEN 13" X 18"		1953		For Die cutting, Creasing, Embossing, Kiss cutting Includes Ink rollers.
L-175	THOMPSON PLATEN				Max sheet size: 260 x 387 mm, for die cutting, creasing.
<b>Guillotines</b>					
G-215	POLAR N 176 AT HD HIGH-SPEED CUTTER		2018		ONLY 54,000 CUTS. 176 cm max cut width. Gripper loading from the side, rear. Programmable high-performance model with automatic trim removal and Touch-Screen operation for high-end applications, with job specific programmable parameter, for label and distortion correction as well as an extended range of options. Includes Pile lifter - Jogger - De Stacker.
G-214	HORIZON HT-30 AUTOMATED SINGLE KNIFE 3-SIDED TRIMMER		2007		Save time on bottle necks on your main guillotine cutting digital work automatically. The HT-30 Three-side Trimmer features automated job set-ups and quick changeovers to meet the requirements of the short run print-on-demand book market with the ability to store up to 40 different book jobs in memory. Max. untrimmed book size: 235 x 320 mm - Max. trimmed book size: 230 x 305mm. Min. trimmed book size: 135mm x 200mm, Max. trim thickness: 51mm. Production speed: 200 cycles/hr, Memory: 40 job patterns.
G-213	POLAR 72 CS		1981		72cm max cut width, motor driven back gauge, safety light barriers, hydraulic foot operated clamp.
G-212	POLAR 55 SDP		1985		Max cut width 55 cm, Safety light barriers, Programs, Hydraulic clamp.
G-204	POLAR 115 CE		1977		Max cut width 115 cm, Safety light barriers, Hydraulic clamp, Tools, 1 x Spare blade, Manuals.
G-199	WOHLENBERG 115 MCS 2 TV		1995		Max cut width 115 cm, air bed, safety light barriers, Hydraulic clamp.
<b>Bindery / Finishing Equipment</b>					
B-279	HORIZON GMS SEMI AUTO BOOK SPINE TAPER		2018		Applies book spine tape semi automatically. Consistent tape feeding and precise tape cutting ensures high quality taping on book spine. Production speed up to 4,000 per hour for a book with a spine length of 180 mm/ 7.1". (2,300 books per hour with A4 long edge / 11" length book).
B-278	MORGANA UF01 FOLDER		2005		Suction feed, Two plate folder, Quick and easy changeover of jobs, Max sheet length 640mm - Width 457mm, Min sheet 150 x 120 mm, Electric stream delivery, Batch and total counter, Caliper roller settings, Swing-up inline perforating unit.
B-261	HERZOG & HEYMANN S20		1993		Flat pile feeder (B2) 1st unit - 4 buckle plates, Noise hood, Danelec Batch Counter with mob Belt delivery.
B-257	BOSTITCH M30 FREE SANDING WIRE BOOK STITCHER				Saddle + Side stitch.
B-256	STIRLING PAPER DRILL				Single head bench top model.
B-251	HORIZON STITCH LINER 5500 COLLATOR BOOKLET MAKER		2010		1x Horizon air suction collator Vac 100 A with Vac air pump, Horizon PJ - 77R Jogger receiving delivery tray, Horizon ST 40 Receiving tray, Horizon ACF-30 Accumulator folder, Horizon SPF-30 Saddle stitcher, Horizon HTS 30 three knife trimmer, Shingled delivery, Horizon TB-30 Trim waste blower with trim waste piping, Horizon trim waste bag stand, Power transformer. Additional Horizon Vac Suction (1) Tower collator is available to add to the above single tower at additional cost (NZD \$8,500) - this will make it 2x towers, suction vac collators.
B-227	BUSCH MULTI BANDING MB 54 L		2008		Save time banding or wrapping those awkward cut piles. For the automatic banding of higher volumes of square-cut labels or similar products, either in-line or off-line. The space-saving Multiple Bander (4 bands) is used for banding rows of paper piles, such as labels, square-cut on a guillotine or similar. Very user friendly, versatile and a great time saver.

Ref	Make	Model	Year	Imp (m)	Description
M-182	MINIPACK A3 HEAT SHRINK WRAP				Requires a service before putting into production.
<b>Miscellaneous</b>					
M-183	HP INDIGO LABEL PRESS 4500		2006	35	7 Colour (includes White). Equipped with: Engine, Unwinder, Rewinder, DFE, Donaldson Chiller,
M-180	BUSCH MULTI BANDING MACHINE MB 54 L		2008		Save time banding or wrapping awkward cut piles. Automatic banding of higher volumes of square-cut labels or similar products, either in-line or off-line. Space-saving Multiple Bander (4 bands) used for banding rows of paper piles eg: labels, square-cut on a guillotine. User friendly, versatile - a great time saver.
M-172	WAHLI ENVELOPE FEEDER 530				Automatic envelope feeder with vacuum suction, designed to feed envelopes to all machines with stream- and stack feeding system (Heidelberg SM, GTO, QM or PM). Adjustable vacuum, height, Speed controlled conveyor delivery, Min envelope size: 7.6 x 12.7 cm - Max envelope size: 36 x 42 cm.
M-171	STENZ ENVELOPE FEEDER FOR OFFSET PRESS				Max size 36,5 x 35 cm.
M-169	PLASTIC PALLETS FOR THE PRINTING INDUSTRY				If you are manufacturing packaging products for food industry supply, you will need to comply and include plastic pallets in your inventory. Our range of plastic pallets can be: *Four Way Entry, *Groove or Flat Surface, *Many Different Designs, *Easy and Safe to Handle, *Stackable, *Environmentally Friendly and 100% Recyclable, *Hygienic & Clean, * Not Too Heavy. Min Order 100.
M-167	SIGNODE AUTO STRAPPING MACHINE		2007		Plastic strap small to large individual products or boxes automatically. (Max Package Size (W) 750mm x (H) 600mm) Min Package Size: (W) 100mm x (H) 20mm.
M-166	KOMORI LITHRONE OPTICAL PLATE PUNCH				With TV Monitors for Komori Lithrone L628. Includes small air compressor.
M-150	LETTER PRESS NUMBERING BOXES				Letter Press Numbering Boxes.
M-149	HEIDELBERG GTO 46 + 52 NUMBERING BOXES				Straight and Convex.
M-148	HEIDELBERG GTO NUMBERING BOX ACTUATING CAMS				Standard type.
M-147	HEIDELBERG GTO MAGNETIC NUMBERING BOX ACTUATING CAMS				Magnetic, Actuating Cams.
M-146	HEIDELBERG GTO NUMBERING SHAFT CAM				Shaft Cam.
M-145	HEIDELBERG GTO INLINE PERFORATING ARM				Inline perforating arm.
M-144	HEIDELBERG GTO PERF + SCORE WHEELS				Perf and score wheels.
M-134	SPRAY POWDER EXTRACTOR SYSTEM FOR OFFSET PRESSES				Health & financial benefits! Reduce downtime / maintenance costs while increasing cleanliness of press delivery section. New top + bottom vacuum filter units collect spray powder & paper dust while in production. Will fit any offset press with high pile delivery. Further details available on request.