



Machinery List

September 2017

Price on Application

Ref	Make	Model	Year	Imp (m)	Description
1 Colour Offset Press					
1-157	HEIDELBERG	KORD 64	1982		Grey model with Long electrical box, Standard dampening, Weko powder spray unit.
1-156	RYOBI	500 KNP			Standard damps, numbering + perforating unit, powder spray unit.
1-155	ABDICK	9820			Single sheet feeder, Max size 33 x 45.7cm, chain delivery, powder spray unit
2 Colour Offset Press					
2-168	HEIDELBERG	SPEEDMASTER SM-74-2	1995	60	CP Tronic control, Alcolor dampening, Semi Auto plate, Auto washers, Laser split ink ducts, Grafix powder spray, Low pile delivery, Plate punch, Plate bender.
2-166	HEIDELBERG	PM -52-2+	2005	27	Classic press control centre at delivery, Stream + single sheet feeder, Alcolor dampening, Baldwin cooling re circulation unit, Easy plate auto loading, Auto ink roller wash, Auto blanket wash, Segmented ink ducts, Super blue, Mediprint powder spray device, Plus version, Standard accessories, tools, manuals.
2-160	HALM	JET JP TWOD			High Speed Envelope Printing Press.
2-157	HAMADA	B252A	2001	24	Sheet size 36 x 52 cm, suction stream feeder, alcohol dampening, cooling recirculation unit, semi auto plate loading, auto blanket washes, Max speed 10000 IPH, running register, pneumatic roller control on/off, powder spray unit, chain delivery, standard accessories.
2-151	KBA	RAPIDA SRO	1984	93	Max sheet size: 510 x 720 mm, Max speed: 15000 sph, Maybeg stream feeder, Standard dampening, Baldwin cooling + recirculation unit, Quick action plate clamps, Running register, Double size impression cylinder, Powder spray unit, High pile delivery, Standard accessories, tools manuals.
4 Colour Offset Press					
4-135	SAKURAI	466 SIP 4	2004		Perfecting 4+0/ 2+2, Off Press colour control console, Auto Plate, Olivermatic alcohol dampening, Auto Ink Roller Wash, Low Pile Delivery.
4-134	HEIDELBERG	SPEEDMASTER SM-102-V	1983	200	Size 102 x 72 cm, Conventional dampening, No CPC, Weko Powder spray.
5 Colour Offset Press					
5-138	ROLAND	105 T01 5/0	1995	137	Five Colours Straight, Max size: 660 x 485 mm, Non-perfecting, Maybeg stream feeder with vacuum feed board, RCI colour control console, Roland Matic dampening, Powder spray, Low pile delivery.
5-137	ROLAND	ULTRA RVU5			Modified to 4 colors + 1 varnish base and IR dryer, Paper size 130 x 92 cm Alcolor Chiller by Dahlgren dampening systems, Modified PLC mainboard save energy. Includes Plate maker, Plate processor.
5-132	AKIYAMA	BESTECH 528	1995	113	Stream feeder, Can run up to 680 microm stock, Off press colour control consol, Akiyama continuous alcohol dampening, Quick action plate clamps, Remote running register, Powder spray unit, High pile delivery, Plate punch, Standard accessories tools, Current set up running quality 4 col process + sealer on 5th unit.
6 Colour Offset Press					
6-112	KOMORI	L 628	2002	104	Pre-pile feeder, Stream feeder, PQC off press controls, KMS IV, SAPC, Plate cylinder cocking, Automatic ink roller wash, Automatic blanket wash, Paper thickness pre-sets, Komorimatic dampening, Baldwin refrigeration & recirculation unit, Ink temperature control, Chrome plated plate + impression cylinders, Powder spray unit, Komori optical plate punch, Spare rollers.

Ref	Make	Model	Year	Imp (m)	Description
6-111	HEIDELBERG	SPEEDMASTER CD 74-6 (C)	2007	200	Semi Auto Plate Loading, Antistatic device, Auto washers, Axis Control quality control, Preset feeder (auto. paper size setting), Alcolor continuous dampening, CombiStar (ink unit temperature control + cooling), AirStar.
6-110	HEIDELBERG	CD 102-6 + LX	2007	200	Dedicated tower coater, Anilox coating system with chambered doctor blade, CP2000 and Access Control, Auto plate, Alcolor Vario dampening, Preset Plus feeder, Preset Plus delivery, Automatic roller wash, Automatic blanket wash, Automatic impression cylinder wash, CombiStar for ink temperature control and solution R&R, DryStar IR dryer with hot air knives, Venturi transfers, Intercom, Weko powder spray.
6-109	HEIDELBERG	XL 105-6-LX	2006	214	Image Control, CP 2000, Autoplate, Alcolor , All auto washers, Steel Plate in feeder with ramp, Steel Plate in delivery with ramp, Preset Plus feeder, Preset Plus delivery (X2), Ink temperature control, Technotrans CombiStar, CANopen, water cooled, AlcoSmart / Soffflow Filter, Technotrans Beta PS, Pump Station, Technotrans Beta F , dampening solution filtration, InkLine autom ink supply system, CAN, Ultrasonic double-sheet detector, Multiple sheet-detector, Extended Delivery (X2), CleanStar, DryStar 3000, CANopen, Water cooled, 3 x slide-in units, Powder Sprayer PowderStar AP 500, Tower Coater with chambered doctor blade system, Multi Loader system, included 1 roller, CoatingStar, StaticStar compact, Anti-Static device in feeder and delivery, AirStar Pro air- cabinet, CleanStar.
Letterpress / Diecutting & Creasing - Foiling					
L-161	HEIDELBERG	SB DIE CUTTING CYLINDER 54 x 77 cm	1960		SB die cutting cylinder size 54 x 77 cm.
L-160	HEIDELBERG	S DIE CUTTING CYLINDER 54 x 72 cm	1959		S die cutting cylinder size 54 x 72 cm.
L-158	HEIDELBERG	T PLATEN 10" x 15"	1967		Includes inking rollers, Lock up roller model, Print, Die cut, Crease, Emboss, Slit.
L-157	HEIDELBERG	GT HOT FOILING PLATEN SIZE 13" x 18"			Includes chases, heating elements, heated bed, can also die cut and crease etc
L-156	HEIDELBERG	T PLATEN 10" x 15"	1971		Hot foiling platen, requires some TLC, includes chases, heating elements, heated bed, will also die cut & crease
Guillotines					
G-176	WOHLENBERG	CUT TECH 137 CM PROGRAMMABLE GUILLOTINE	2000		Air beds, Safety light barriers Hydraulic clamp
G-175	ITOH	115 CM PROGRAMABLE GUILLOTINE	1989		Air bed, Safety barriers, Hydraulic clamp, Double pull of the knife carrier.
G-174	WOHLENBERG	115 CM	1980's		115 cm Max cut width, Power back gauge, Main bed with air, Hydraulic clamp, Safety light barriers, 3 x Blades in total, Blade changing tools.
G-172	SCHNEIDER	SENATOR 115C	1985		Used as a basic paper cutter, programs not working, safety light barriers, air bed.
G-163	HORIZON	HT30 SINGLE KNIFE AUTO 3 KNIFE TRIMMER	2007		Save time on bottlenecks on your main cutting guillotine. Equipped with: Computer Touch-screen Control, Robotic Handling, Max. untrimmed book size: 235mm x 320mm, Max. trim thickness: 51mm, Production speed: 200 cycles/hr, Memory for 40 job patterns.
Bindery / Finishing Equipment					
B-240	HEIDELBERG	STAHL TI 52 4-4 SUCTION PILE FOLDER	2001		4 plates 1st unit, 4 plates 2nd unit, Total + batch counter, Noise hoods with Hook on delivery.
B-239	DURSELIN	FREE STANDING PAPER DRILL PB-04	1995		Free standing Paper Drill, 5x Standard adjustable heads, 1x Multi fixed 7 head option included used for Franklin diary drilling.
B-238	CHALLENGE	FREE STANDING 4 HEAD PAPER DRILL	1980's		Challenge free standing 4 head paper drill.
B-237	STAHL	FOLDER TF 78 CM 4-4-4	1996		All buckle, Round pile feeder, Mob Delivery with Stahl VFZ-52 Knife unit.
B-236	STAHL	FOLDER TF 78 CM 4-4-4	1995		All buckle, Round pile feeder, Double gate fold attachment on 2nd unit, Mob delivery.

Ref	Make	Model	Year	Imp (m)	Description
B-235	MULLER MARTINI 1509	SADDLE STITCHER	1995		Comprising 5 x twin feeders (10 feeders), Cover feeder, Twin head stitcher unit with 2 x HK 75 heads + 2 HK 45 heads, 3 x 249 Loop stitching heads, 3 x Knife trimmer adapted with min trim as standard 65 x 95 mm Portrait without cutting belts, Shingle conveyor delivery.
B-234	BOURG BB 3001 PERFECT	BINDER - HOT MELT GLUE	2002		Hand feed book block, Auto milling of the spine, Hot melt glue, Auto cover feeder, Stacker Delivery. Max Book Size: 320 mm x 385 mm Spine Length, Min Book Size: 100 mm x 100 mm. Spine Length, Max Book Thickness: 45 mm. Speed: Approx. 500 p/h and will also produce glued pads only if required.
B-227	BUSCH MULTI BANDING MB	54 L	2008		Save time banding or wrapping those awkward cut piles. For the automatic banding of higher volumes of square-cut labels or similar products, either in-line or off-line. The space-saving Multiple Bander (4 bands) is used for banding rows of paper piles, such as labels, square-cut on a guillotine or similar. Very user friendly, versatile and a great time saver.
B-219	STAGO BOOKLET STAPLER				Stago Bench Top Booklet Stapler.
B-191	MORGANA DIGIFOLD PRO		NEW		Automatic, can perform both creasing & folding in a single pass, use as a stand-alone creaser or perforator. Fast touch screen set-up to enter required fold type and sheet length - automatic setup of creasing and folding positions. Specs: Crease and fold without cracking; Up to 6,000 A4 sheets hour; Stock up to 0.4 mm; 900 x 385 mm with optional delivery extension; Inline perforating available. User friendly, productive, easy operation.
B-190	MORGANA AUTO CREASER	PRO 33	NEW		Crease without cracking when folding digitally printed output. Specs: 700mm x 330mm sheet size; Up to 16 creases per sheet; Stock up to 0.4mm; Up to 8,500 sheets per hour; User friendly and productive with easy operation.
B-189	MORGANA CARDXTRA	BUSINESS CARD CUTTER	NEW		Fast, versatile and very easy to use, the suction feed CardXtra is ideal for on-demand environment. Features: will take A3 plus sheets in weights up to 325gsm; produces 140 business cards a minute (7 x 20 up sheets); can be used for postcards and other formats; pre-select programs for different cutters; pre-programmable memory for storing common jobs.
B-149	HORIZON SUCTION FOLDER	AFC-744 AKTSC – RF	2006		Max sheet size: 740 x 1,100 mm, Min sheet size: 210 x 210 mm, Round pile feeder, 4x Buckle plates, 2x Cross knife folds, Noise hoods, Power transformer, Mobile delivery, Includes Horizon slot burst kit for parallel fold section and slot burst kit for knife fold section, Standard accessories + manuals.
Miscellaneous					
M-153	QUICK SHRINK L-BAR HEAT	SHRINK WRAPPER			Includes heat tunnel.
M-152	BELCO SL 6050 SEMI AUTO L-	BAR HEAT SEALER			Bar Heat Sealer Inline to Heat Shrink Tunnel, Conveyor into Auto L-Bar Heat Sealer - Inline Conveyor into Heat Shrink Tunnel.
M-151	MARK MZA 15 - 8		2011		Bar Air Compressor used as central air system.
M-150	LETTER PRESS NUMBERING	BOXES			Letter Press Numbering Boxes – 11 units available.
M-149	HEIDELBERG GTO 46 + 52	NUMBERING BOXES			Straight and Convex.
M-148	HEIDELBERG GTO	NUMBERING BOX ACTUATING CAMS			Standard type.
M-147	HEIDELBERG GTO MAGNETIC	NUMBERING BOX ACTUATING CAMS			Magnetic, Actuating Cams.
M-146	HEIDELBERG GTO	NUMBERING SHAFT CAM			Shaft Cam.
M-145	HEIDELBERG GTO INLINE	PERFORATING ARM			Inline perforating arm.
M-144	HEIDELBERG GTO PERF +	SCORE WHEELS			Perf and score wheels.
M-134	SPRAY POWDER EXTRACTOR	SYSTEM FOR OFFSET PRESSES			Health & financial benefits! Reduce downtime / maintenance costs while increasing cleanliness of press delivery section. New top + bottom vacuum filter units collect spray powder & paper dust while in production. Will fit any offset press with high pile delivery. Further details available on request.