



Machinery List

November 2020

Price on Application

| Ref | Make | Model | Year | Imp (m) | Description |
|--|---|----------------------|----------|---------|--|
| 1 Colour Offset Press | | | | | |
| 1-171 | HEIDELBERG | GTO 52 | 1987 | 50 | Varn kompac dampening, Numbering & perforating, Fully refurbished 1996. Excellent condition. |
| 1-170 | RYOBI | 520 X + NP | 1996 | | Standard dampening, quick action plate clamps, NP unit, plate punch. |
| 2 Colour Offset Press | | | | | |
| 2-182 | HEIDELBERG | GTOZ-52 + NP | 1993 | 74 | Bareback dampening, Quick action plate clamps, Running register, Push button control stork at delivery, Weko powder spray unit, Numbering + perorating, Plate punch. |
| 2-179 | HEIDELBERG | GTOZ-52 + NP | 1989 | 77 | Push button control stork at feeder + delivery, stork at delivery, Alcolor dampening, Baldwin cooling + recirculation, Quick action plate clamps, Running register, Numbering perforating unit. GOOD FOR PARTS – needs new pc board – only runs 1 unit. |
| 2-178 | HEIDELBERG | GTOZ-52 + NP | 1998 | 25 | Control stork at delivery, Heidelberg DDS dampening, Quick action plate clamps, Running register, Numbering perforating, Recent New rollers on press and numbering unit. |
| 4 - 6 Colour Offset Press | | | | | |
| 6-118 | KOMORI | NL 628 + LX + COATER | 2004 /05 | 111 | One owner from new - First installed 2006 ex showroom. Max stock thickness option: 0.8 mm, Attachment for card board, Non stop feeder, PQC-S colour control console, PDC-S, Komorimatic damps – gear driven, Auto sheet size pre-set, Auto washers - Ink rollers, Blankets, KMS IV, Ultrasonic double sheet detector, Chrome plated cylinders, Ink unit de clutch units 1 + 6, Anti ghosting rollers, Extended delivery, Coating unit prepared for Tresu chamber doctor blade system, Coating circulator, IR Dryer, Hot air dryer. |
| 6-117 | KOMORI | LITHRONE L 628 | 1997 | 186 | Maybeg stream feeder, Press will run up to 0.8 mm card board, PQC colour control console, Plate cocking, Komorimatic dampening, Baldwin cooling + recirculation, SAPC, Auto ink roller wash, Auto blanket wash, AMR, Ink roller temperature control, Grafix powder spray, Sheet decurler, Chromed Plate + Impression cylinders, Solid transfer cylinders, Manuals, Plate punch and Main air compressor not included. |
| Letterpress / Diecutting & Creasing - Foiling | | | | | |
| L-184 | HEIDELBERG | T PLATEN 10' X 15' | 1954 | | 3-phase Heidelberg T Platen 10' x 15'. |
| L-183 | CLICKING PRESS - SWING BEAM | | | | Base size 80 x 44 cm - Swinging head size 57 x 51 cm. |
| L-182 | HEIDELBERG | GT PLATEN 13" X 18" | 1972 | | Die cutting, Creasing, Embossing, Includes inking rollers. |
| L-181 | NIKKO | - JY105 | 2007 | | Die Cutter Creaser, Embosser, size 750 x 1050 mm. Will handle Solid board + Flute board, E & B, Max speed 7,500 Sph. |
| L-176 | HEIDELBERG | GT PLATEN 13" X 18" | 1953 | | For Die cutting, Creasing, Embossing, Kiss cutting Includes Ink rollers. |
| L-175 | THOMPSON PLATEN | | | | Max sheet size: 260 x 387 mm, for die cutting, creasing. |
| L-173 | METALLIC ELEPHANT SMALL FORMAT HOT FOILING MACHINES | | | | New UK made Small format Hot foiling machines + custom made zinc and magnesium dies made to order. Think small run personalisation, bus cards, packaging, greeting cards + more, Hot foiled, Embossed. |
| Guillotines | | | | | |
| G-212 | POLAR | 55 SDP | 1985 | | Max cut width 55 cm, Safety light barriers, Programs, Hydraulic clamp. |
| G-211 | WOHLENBERG | 115 | 1975 | | Max cut width 115 cm, Retrofitted with Gergek Programming system, Safety light barriers, Hydraulic clamp. |

| Ref | Make | Model | Year | Imp (m) | Description |
|--------------------------------------|--|-------|------|---------|---|
| G-210 | POLAR 82 ST | | 1966 | | Max cut width 82 cm, Safety light barrier, Hydraulic clamp. |
| G-207 | CHALLENGE 'CHAMPION' | | 2005 | | Max cut width 77 cm, Challenge 'Champion' Manual Gauge. |
| G-206 | WOHLENBERG 92 | | 1997 | | Max cut width 92 cm, Digital programs, Air bed, Safety light barriers. |
| G-204 | POLAR 115 CE | | 1977 | | Max cut width 115 cm, Safety light barriers, Hydraulic clamp, Tools, 1 x Spare blade, Manuals. |
| G-203 | SCHNEIDER 155 | | 1970 | | Max cut width 155 cm, Upgraded and fitted with Microcut system, safety light barriers. |
| G-199 | WOHLENBERG 115 MCS 2 TV | | 1995 | | Max cut width 115 cm, air bed, safety light barriers, Hydraulic clamp. |
| G-198 | WOHLENBERG 137 PRO TECH HIGH SPEED | | 2008 | | Max cut width 137 cm, Pro Tech High Speed Guillotine, ASE Auto waste removal system, Digital programs, Safety light barriers, Extended tables with air, Programmed loading of stock into the machine via front + side gripper system to the side and rear of the guillotine. |
| G-197 | SCHNEIDER 92 ADVANCE | | 2017 | | Max cut width 92 cm, Digital programs, Col touch screen, Air bed, Safety barriers. |
| Bindery / Finishing Equipment | | | | | |
| B-278 | MORGANA UF01 FOLDER | | 2005 | | Suction feed, Two plate folder, Quick and easy changeover of jobs, Max sheet length 640mm - Width 457mm, Min sheet 150 x 120 mm, Electric stream delivery, Batch and total counter, Caliper roller settings, Swing-up inline perforating unit. |
| B-276 | CHALLENGE MEDALLIST 870 SRA3 SUCTION FOLDER | | 2005 | | On mobile trolley. As New. |
| B-274 | NAGEL WIRE BOOK STAPLING MACHINE | | | | Uses pre-formed staples - Sizes 6mm to 38mm. |
| B-273 | SCHMEDT PRAKANT 06-03 | | 2008 | | Turning in Hard Case Maker for Har Cover Books. The Prakant semi manual case make turns in and presses down the covering material after positioning of the boards onto the pre glued book cover. |
| B-272 | ANTIQUE BOOK PRESS | | | | Antique Book Press |
| B-271 | ARTTER 600E BENCH TOP INLINE CREASER | | | | 600 mm width, Hand fed with adjustable male / female creasing collars. |
| B-270 | MORGANA CREASER | | | | Manual Bench Top Creaser. |
| B-267 | HORIZON SUCTION PILE FOLDER AFC-544-AKT | | 2006 | | Flat pile suction, Max sheet size 540 x 750 mm, LCD touch screen, 4 x buckle plates with noise hoods, 13 fold patterns, 1 x knife fold, delivery conveyor. |
| B-261 | HERZOG & HEYMANN S20 | | 1993 | | Flat pile feeder (B2) 1st unit - 4 buckle plates, Noise hood, Danelec Batch Counter with mob Belt delivery. |
| B-260 | RILECART WIRO PUNCH F-53 + P 696 CLOSER | | | | Rilecart Free standing Wiro Punch F-53 + P 696 Closer with Wiro Coil Unwinder. |
| B-257 | BOSTITCH M30 FREE SANDING WIRE BOOK STITCHER | | | | Saddle + Side stitch. |
| B-256 | STIRLING PAPER DRILL | | | | Single head bench top model. |
| B-251 | HORIZON STITCH LINER 5500 COLLATOR BOOKLET MAKER | | 2010 | | 1x Horizon air suction collator Vac 100 A with Vac air pump, Horizon PJ - 77R Jogger receiving delivery tray, Horizon ST 40 Receiving tray, Horizon ACF-30 Accumulator folder, Horizon SPF-30 Saddle stitcher, Horizon HTS 30 three knife trimmer, Shingled delivery, Horizon TB-30 Trim waste blower with trim waste piping, Horizon trim waste bag stand, Power transformer. Additional Horizon Vac Suction (1) Tower collator is available to add to the above single tower at additional cost (NZD \$8,500) - this will make it 2x towers, suction vac collators. |
| B-248 | EUROFOLD CREASER FOLDER TOUCHLINE CF375 | | 2015 | | Crease with NO cracking of the spine. Swiss made. The Touchline CF375 is an integrated creasing and folding system which unites the two operations in one process up to 400 gsm. |
| B-227 | BUSCH MULTI BANDING MB 54 L | | 2008 | | Save time banding or wrapping those awkward cut piles. For the automatic banding of higher volumes of square-cut labels or similar products, either in-line or off-line. The space-saving Multiple Bander (4 bands) is used for banding rows of paper piles, such as labels, square-cut on a guillotine or similar. Very user friendly, versatile and a great time saver. |

| Ref | Make | Model | Year | Imp (m) | Description |
|----------------------|--|-------|------|---------|--|
| B-191 | MORGANA DIGIFOLD PRO | | NEW | | Automatic, can perform both creasing & folding in a single pass, use as a stand-alone creaser or perforator. Fast touch screen set-up to enter required fold type and sheet length - automatic setup of creasing and folding positions. Specs: Crease and fold without cracking; Up to 6,000 A4 sheets hour; Stock up to 0.4 mm; 900 x 385 mm with optional delivery extension; Inline perforating available. User friendly, productive, easy operation. |
| B-190 | MORGANA AUTO CREASER PRO 33 | | NEW | | Crease without cracking when folding digitally printed output. Specs: 700mm x 330mm sheet size; Up to 16 creases per sheet; Stock up to 0.4mm; Up to 8,500 sheets per hour; User friendly and productive with easy operation. |
| B-189 | MORGANA CARDXTRA BUSINESS CARD CUTTER | | NEW | | Fast, versatile and very easy to use, the suction feed CardXtra is ideal for on-demand environment. Features: will take A3 plus sheets in weights up to 325gsm; produces 140 business cards a minute (7 x 20 up sheets); can be used for postcards and other formats; pre-select programs for different cutters; pre-programmable memory for storing common jobs. |
| Miscellaneous | | | | | |
| M-179 | SURELAM PRO 380 D ROLL LAMINATOR | | 2015 | | Surelam Pro 380 D roll laminator - As new, used only twice from new !! |
| M-178 | COLD SHEET LAMINATOR | | 2012 | | 1600 mm wide, Max thickness 20 mm. |
| M-177 | EPSON STYLUS PRO GS 6000 WIDE FORMAT PRINTER | | 2011 | | Ideal for your indoor and outdoor signage printing requirements, The Pro GS6000 retains Variable-Sized Droplet Technology with an 8-Colour ink system. |
| M-176 | ROLAND CAMM 1 PRO VINYL CUTTER | | 2012 | | Professional, easy-to-use vinyl cutters for signs, vehicle graphics, retail displays and more. |
| M-175 | KODAK MAGNUS CTP | | 2010 | | 400 II E Plate setter with Bacher Punch 425 Centres. |
| M-172 | WAHLI ENVELOPE FEEDER 530 | | | | Automatic envelope feeder with vacuum suction, designed to feed envelopes to all machines with stream- and stack feeding system (Heidelberg SM, GTO, QM or PM). Adjustable vacuum, height, Speed controlled conveyor delivery, Min envelope size: 7.6 x 12.7 cm - Max envelope size: 36 x 42 cm. |
| M-171 | STENZ ENVELOPE FEEDER FOR OFFSET PRESS | | | | Max size 36,5 x 35 cm. |
| M-169 | PLASTIC PALLETS FOR THE PRINTING INDUSTRY | | | | If you are manufacturing packaging products for food industry supply, you will need to comply and include plastic pallets in your inventory. Our range of plastic pallets can be: *Four Way Entry, *Groove or Flat Surface, *Many Different Designs, *Easy and Safe to Handle, *Stackable, *Environmentally Friendly and 100% Recyclable, *Hygienic & Clean, * Not Too Heavy. Min Order 100. |
| M-167 | SIGNODE AUTO STRAPPING MACHINE | | 2007 | | Plastic strap small to large individual products or boxes automatically. (Max Package Size (W) 750mm x (H) 600mm) Min Package Size: (W) 100mm x (H) 20mm. |
| M-166 | KOMORI LITHRONE OPTICAL PLATE PUNCH | | | | With TV Monitors for Komori Lithrone L628. Includes small air compressor. |
| M-150 | LETTER PRESS NUMBERING BOXES | | | | Letter Press Numbering Boxes. |
| M-149 | HEIDELBERG GTO 46 + 52 NUMBERING BOXES | | | | Straight and Convex. |
| M-148 | HEIDELBERG GTO NUMBERING BOX ACTUATING CAMS | | | | Standard type. |
| M-147 | HEIDELBERG GTO MAGNETIC NUMBERING BOX ACTUATING CAMS | | | | Magnetic, Actuating Cams. |
| M-146 | HEIDELBERG GTO NUMBERING SHAFT CAM | | | | Shaft Cam. |
| M-145 | HEIDELBERG GTO INLINE PERFORATING ARM | | | | Inline perforating arm. |
| M-144 | HEIDELBERG GTO PERF + SCORE WHEELS | | | | Perf and score wheels. |
| M-134 | SPRAY POWDER EXTRACTOR SYSTEM FOR OFFSET PRESSES | | | | Health & financial benefits! Reduce downtime / maintenance costs while increasing cleanliness of press delivery section. New top + bottom vacuum filter units collect spray powder & paper dust while in production. Will fit any offset press with high pile delivery. Further details available on request. |